

Aneka Rack Catalogue

Year 2015 WALLMOUNT RACK Products

Version: 1.2

Last update: 1 Dec 2014



ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

PRODUCT WR1: 19" ABBA WALLMOUNT RACK



WR1.1. SINGLE DOOR

No	Height	Depth	Overall dimension (H x W x D)
WR1.1.1	8U	450 mm	440mm x 600mm x 450mm
WR1.1.2	12U	450 mm	615mm x 600mm x 450mm
WR1.1.3	15U	450 mm	750mm x 600mm x 450mm

WR1.2. DOUBLE DOORS

No	Height	Depth	Overall dimension (H x W x D)
WR1.2.1	8U	490 mm	440mm x 600mm x 490mm
WR1.2.2	8U	600 mm	440mm x 600mm x 600mm
WR1.2.3	12U	490 mm	615mm x 600mm x 490mm
WR1.2.4	12U	600 mm	615mm x 600mm x 600mm
WR1.2.5	15U	490 mm	750mm x 600mm x 490mm
WR1.2.6	15U	600 mm	750mm x 600mm x 600mm

Single door: acrylic.

Double door: acrylic front door & metal back door

Color options for all ABBA wallmount: black or light grey

1 standard set includes:

- 1 x fan for wallmount
- 1 x 19" Horizontal Power Distribution 6 outlet
- 20 x cage Nut + screws + ring
- 4 x dynabolt

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

PRODUCT WR2: 19" ASTERIX WALLMOUNT RACK

19" Wall Mounting Cabinet



12U & 15U Front View



8U Back View

Features :

- Cable access at the top and bottom panels
- To increase air flow ventilation rack can accommodate fan at the top panel

RU	USABLE		OVERALL			STANDARD	ORDER NO.
	HEIGHT	DEPTH	HEIGHT	DEPTH	WIDTH		
8	356	405	435	505	580	Front door only*	Rw19008
12	534	470	617	570	580	Front & back doors	Rw19012
15	667	470	750	570	580	Front & back doors	Rw19015

*Back side is cover with removable panel. All dimensions in millimeters

"T" SERIES
Wall Mounting Cabinet



Front view

With tempered glass front door.
Front & back doors
for all 9U; 12; 15U



Side view

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

WR2.1. SINGLE DOOR

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR2.1.1	8U	500 mm	435mm x 600mm x 505mm	
WR2.1.2	9U	450 mm	500mm x 600mm x 450mm	
WR2.1.3	15U	450 mm	767mm x 600mm x 450mm	T-Series

WR2.2. DOUBLE DOORS

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR2.2.1	9U	550 mm	500mm x 600mm x 550mm	T-Series
WR2.2.2	12U	450 mm	635mm x 600mm x 450mm	
WR2.2.3	12U	550 mm	635mm x 600mm x 550mm	T-Series
WR2.2.4	12U	580 mm	635mm x 600mm x 580mm	
WR2.2.5	15U	550 mm	767mm x 600mm x 550mm	T-Series
WR2.2.6	15U	550 mm	767mm x 600mm x 550mm	
WR2.2.7	15U	580 mm	767mm x 600mm x 580mm	

Note:

T-Series' side panels (left and right) can be opened.

For all single doors: acrylic or glass door.

For all double doors: glass front door, and metal back door.

Color options for ASTERIX wall mount: Black or Grey.

Cable access at the top and the bottom.

1 standard set includes:

- 1 x fan for wallmount
- 1 x 19" Horizontal Power Distribution 6 outlet
- 20 x cage Nut + screws + ring
- 4 x dynabolt

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

PRODUCT WR3: 19" CENTRAL WALLMOUNT RACK

CENTRAL 19" Wallmounted Rack M-Series

FEATURES

1. Flush doors at front and rear are mounted on lift-off type hinges. The Doors have a full 180 degrees swing and had round L&F key locks.
2. Front Door option Acrylic 4mm (clear).
3. Front Door left hand hinged unless requested otherwise.
4. Cable Access at Top and Bottom Panels.
5. Cabinets are provided with fastening rear holes in the rear frame base.
6. Rack is supplied in completely assembled ready-to-use is standard.



19" Wallmounted Rack M-Series

Size	Overall Height (mm)	Usable Height (mm)	Overall Depth (mm)	Usable Depth (mm)	Overall Width (mm)	Usable Width (mm)	Weight (Kg)
8 U S	437	356	475	381	590	450	27
10 U S	526	445	475	381	590	450	29
12 U S	615	534	475	381	590	450	35
12 U D	615	534	490	400	590	450	38
12 U D	615	534	650	560	590	450	50
15 U D	749	667	490	400	590	450	44

WR3.1. SINGLE DOOR

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR3.1.1	8U	470 mm	437mm x 600mm x 450mm	
WR3.1.2	9U	450 mm	501mm x 600mm x 450mm	T-Series
WR3.1.3	10U	470 mm	526mm x 590mm x 475mm	
WR3.1.4	12U	450 mm	635mm x 600mm x 450mm	T-Series
WR3.1.5	12U	470 mm	615mm x 590mm x 475mm	

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

WR3.2. DOUBLE DOORS

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR3.2.1	9U	550 mm	501mm x 600mm x 550mm	T-Series
WR3.2.2	12U	490 mm	615mm x 590mm x 490mm	
WR3.2.3	12U	550 mm	615mm x 590mm x 550mm	T-Series
WR3.2.4	12U	650 mm	615mm x 590mm x 650mm	
WR3.2.5	15U	490 mm	769mm x 600mm x 490mm	
WR3.2.6	15U	550 mm	769mm x 600mm x 550mm	T-Series
WR3.2.7	15U	600 mm	769mm x 600mm x 600mm	T-Series
WR3.2.8	15U	600 mm	769mm x 600mm x 600mm	

Note:

T-Series' side panels (left and right) can be opened.

For all CENTRAL wallmount racks: glass door.

Color options for CENTRAL wall mount: Black or Grey.

1 standard set includes:

- 1 x fan for wallmount
- 1 x 19" Horizontal Power Distribution 6 outlet
- 20 x cage Nut + screws + ring
- 4 x dynabolt

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

PRODUCT WR4: 19" FORTUNA WALLMOUNT RACK

Wallmount Cabinet

Spesifikasi dan Standard Supply

- Rack ini merupakan rack siap pakai (garansi 3 tahun).
- Terbuat dari Cold Steel SPCC-BD.
- Pengecatan dengan sistem Powder Coating.
- Pintu depan yang menggunakan kaca tempered dengan kunci silinder "Dirack" buatan Jerman.
- Kunci pintu belakang juga dilengkapi dengan kunci silinder.
- Cabinet ini merupakan kombinasi dari keluwesan, efisien dan fleksibilitas sehingga cabinet ini sangat cocok untuk Network Teknologi dan komponen- komponen Listrik.

Dilengkapi dengan :

- 1 unit Fan 220 V + Fan Filter 25 CFM (Garansi 18 bulan)
- 20 buah Cage Nut M6 + Baut M6
- 1 Unit New Horizontal Power 6 Stopkontak On, Off Illuminated Switch Surge & Protection (garansi 2 tahun)
- 4 buah Dynabolt M10

Double Door



ALUMINIUM RACK IS AVAILABLE

Order No	RU	External Width(mm)	Overall Height(mm)	External Depth(mm)	Internal Depth(mm)	Weight (kg)
WRS-8U-470-19" DD	8	600	440	470	360	35
WRS-12U-470-19" DD	12	600	600	470	360	42
WRS-15U-470-19" DD	15	600	750	470	360	52
WRS-18U-600-19" DD	18	600	750	655	540	55

Pilihan Warna:

Grey

Black



Residential Cabinet

Spesifikasi dan Standard Supply

- Terbuat ColdSteel SPCC-BD
- Pengecatan dengan sistem Powder Coating
- Fan 220V 60 CFM & Guard
- Kunci Silinder "Dirack" (Jerman)
- 20 buah Cagenut
- Pemasangan sebagai Consolidation Point
- Terdapat Backbone untuk pemasangan pada area yang sempit.
- Sebagai Access antar gedung atau Box perangkat elektronik pada sistem pemasangan apartement



Order No	RU	External Width(mm)	Overall Height(mm)	External Depth(mm)	Internal Depth(mm)	Weight (kg)
Residential Boxes	-	600	700	244	220	-

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

WR4.1. DOUBLE DOORS

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR4.1.1	9U	550 mm	480mm x 600mm x 550mm	
WR4.1.2	12U	550 mm	600mm x 600mm x 550mm	
WR4.1.3	15U	550 mm	750mm x 600mm x 550mm	

Note:

Color: BLACK or GRAY.

1 standard set includes:

- 1 x fan for wallmount
- 1 x 19" Horizontal Power Distribution 6 outlet
- 20 x cage Nut + screws + ring
- 4 x dynabolt

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

PRODUCT WR5: 19" INNOVATION WALLMOUNT RACK



WR5.1. SINGLE DOOR

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR5.1.1	6U	500 mm	279mm x 600mm x 500mm	T-Series
WR5.1.2	8U	500 mm	456mm x 600mm x 500mm	T-Series
WR5.1.3	10U	500 mm	545mm x 600mm x 500mm	T-Series
WR5.1.4	12U	500 mm	635mm x 600mm x 500mm	T-Series
WR5.1.5	15U	600 mm	770mm x 600mm x 600mm	T-Series
WR5.1.6	15U	750 mm	770mm x 600mm x 750mm	T-Series

WR5.2. DOUBLE DOORS

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR5.2.1	9U	550 mm	500mm x 600mm x 550mm	T-Series
WR5.2.2	10U	550 mm	545mm x 600mm x 550mm	T-Series
WR5.2.3	12U	550 mm	635mm x 600mm x 550mm	T-Series
WR5.2.4	15U	600 mm	770mm x 600mm x 600mm	T-Series

Note:

T-Series' side panels (left and right) can be opened.

Door selection: GLASS or PERFORATED.

Color: BLACK.

1 standard set includes:

- 1 x fan for wallmount
- 1 x 19" Horizontal Power Distribution 6 outlet
- 20 x cage Nut + screws + ring
- 4 x dynabolt
-

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

PRODUCT WR6: 19" IRA WALLMOUNT RACK



WR6.1. SINGLE DOOR

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR6.1.1	6U	500 mm	279mm x 600mm x 500mm	T-Series
WR6.1.2	8U	500 mm	456mm x 600mm x 500mm	T-Series
WR6.1.3	10U	500 mm	545mm x 600mm x 500mm	T-Series
WR6.1.4	12U	500 mm	635mm x 600mm x 500mm	T-Series
WR6.1.5	15U	600 mm	770mm x 600mm x 600mm	T-Series
WR6.1.6	15U	750 mm	770mm x 600mm x 750mm	T-Series

WR6.2. DOUBLE DOORS

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR6.2.1	9U	550 mm	500mm x 600mm x 550mm	T-Series
WR6.2.2	10U	550 mm	545mm x 600mm x 550mm	T-Series
WR6.2.3	12U	550 mm	635mm x 600mm x 550mm	T-Series
WR6.2.4	15U	600 mm	770mm x 600mm x 600mm	T-Series

Note:

T-Series' side panels (left and right) can be opened.

Door selection: GLASS or PERFORATED.

Color: BLACK.

1 standard set includes:

- 1 x fan for wallmount
- 1 x 19" Horizontal Power Distribution 6 outlet
- 20 x cage Nut + screws + ring
- 4 x dynabolt

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

PRODUCT WR7: 19" NIRAX WALLMOUNT RACK




WALLMOUNTING

MODEL	HO (mm)	HI (mm)	WO (mm)	DO1 (mm)	DO2 (mm)	UNIT
WM 5008	413	356	600	350	150	08 U
WM 5012	591	534	600	350	150	12 U
WM 5015	723	666	600	350	150	15 U
WM 6008	413	356	600	450	150	08 U
WM 6012	591	534	600	450	150	12 U
WM 6015	723	666	600	450	150	15 U

1U = 1,75 inches = 44,45 mm

Color = *Black *Cream



WR7.1. DOUBLE DOORS

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR7.1.1	8U	500 mm	413mm x 600mm x 500mm	
WR7.1.2	12U	500 mm	591mm x 600mm x 500mm	
WR7.1.3	15U	500 mm	723mm x 600mm x 500mm	

Note:

Door: Tempered glass door & metal back door

Color: BLACK and CREAM

1 standard set includes:

- 1 x fan for wallmount
- 1 x 19" Horizontal Power Distribution 6 outlet
- 20 x cage Nut + screws + ring
- 4 x dynabolt

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

PRODUCT WR8: 19" INDORACK WALLMOUNT RACK

SINGLE DOOR 19"

DOUBLE DOOR 19"



Type	Size	Height (mm)	Depth (mm)
WIR4508S	8U	460	450
WIR4512S	12U	660	450
WIR4515S	15U	780	450
WIR6008S	8U	460	600
WIR6012S	12U	660	600
WIR6015S	15U	780	600

Type	Size	Height (mm)	Depth (mm)
WIR5508D	8U	460	550
WIR5512D	12U	660	550
WIR5515D	15U	780	550



WR8.1. SINGLE DOOR

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR8.1.1	4U	450 mm	280mm x 600mm x 450mm	T-Series
WR8.1.2	6U	450 mm	370mm x 600mm x 450mm	T-Series
WR8.1.3	8U	450 mm	460mm x 600mm x 450mm	T-Series
WR8.1.4	8U	600 mm	460mm x 600mm x 600mm	T-Series
WR8.1.5	12U	450 mm	660mm x 600mm x 450mm	T-Series
WR8.1.6	12U	600 mm	660mm x 600mm x 600mm	T-Series
WR8.1.7	15U	450 mm	780mm x 600mm x 450mm	T-Series
WR8.1.8	15U	600 mm	780mm x 600mm x 600mm	T-Series
WR8.1.9	15U	700 mm	780mm x 600mm x 600mm	T-Series



NEW MODEL !!!

INDORACK19" 4U, 450mm Wallmount, Single Door
 INDORACK19" 6U, 450mm Wallmount, Single Door
 INDORACK19" 15U, 700mm Wallmount, Single Door

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

WR8.2. DOUBLE DOORS

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR8.2.1	8U	550 mm	460mm x 600mm x 550mm	T-Series
WR8.2.2	12U	550 mm	660mm x 600mm x 550mm	T-Series
WR8.2.3	15U	550 mm	780mm x 600mm x 550mm	T-Series

Door: GLASS or PERFORATED

Color: BLACK

1 standard set includes: 1 x fan for wallmount, 1 x 19" Horizontal Power Distribution 6 outlet, 20 x cage Nut + screws + ring, 4 x dynabolt.

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

PRODUCT WR9: 19" RNC WALLMOUNT RACK



WR9.1. SINGLE DOOR

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR9.1.1	8U	450 mm	460mm x 600mm x 450mm	T-Series
WR9.1.2	8U	600 mm	460mm x 600mm x 600mm	T-Series
WR9.1.3	12U	450 mm	660mm x 600mm x 450mm	T-Series
WR9.1.4	12U	600 mm	660mm x 600mm x 600mm	T-Series
WR9.1.5	15U	450 mm	780mm x 600mm x 450mm	T-Series
WR9.1.6	15U	600 mm	780mm x 600mm x 600mm	T-Series

WR9.2. DOUBLE DOORS

No	Height	Depth	Overall dimension (H x W x D)	Remarks
WR9.2.1	8U	550 mm	460mm x 600mm x 550mm	T-Series
WR9.2.2	12U	550 mm	660mm x 600mm x 550mm	T-Series
WR9.2.3	15U	550 mm	780mm x 600mm x 550mm	T-Series

Door: GLASS or PERFORATED

Color: BLACK

1 standard set includes: 1 x fan for wallmount, 1 x 19" Horizontal Power Distribution 6 outlet, 20 x cage Nut + screws + ring, 4 x dynabolt.

ANEKA RACK

LTC Lantai UG Blok A27 No.8 Jalan Hayam Wuruk 127 Jakarta – Barat

Telp. 021- 623 20843 / 021-0811 80 21 88 Fax. 021-623 20045

<http://www.anekarack.com> | sales@anekarack.com / anekarack@gmail.com

ABOUT ANEKA RACK

We are the distributor of server racks, warehouse racks, and environmental monitoring solutions, based in Jakarta Indonesia. We have been in this business since 2007, and we are supporting customers from many industries in all major cities in Indonesia, such as:

- Government minister offices and institutions
- Foreign embassies in Jakarta
- Government and private banks / financial institutions
- TV and radio stations
- Domestic and international airports
- System integrators
- Internet Service Providers
- Telecommunication companies
- IT consultancy companies
- Data centers and customer support centers
- Real estate developers
- Hotels
- Oil, gas, and Mining companies
- Universities and private schools
- SMEs
- And many more